




|  <b>Government eProcurement System</b><br><small>समाधानो जगती</small> | <b>Government eProcurement System</b><br><b>Published Corrigendum Details</b>  |   |                      |   |                  |
|--|--|---|----------------------|---|------------------|
|  | Date : 10-Dec-2021 11:03 AM<br> <a href="#">Print</a> |   |                      |   |                  |
| <b>Organisation Chain :</b>  | Council of Scientific and Industrial Research  CIMAP-Lucknow - CSIR  Purchase-CIMAP - CSIR   |   |                      |   |                  |
| <b>Tender ID :</b>   | 2021_CSIR_95667_1  |   |                      |   |                  |
| <b>Tender Ref No :</b>   | CIMAP-PUR-128(3)2021   |   |                      |   |                  |
| <b>Tender Title :</b>  | NIT for SUPPLY AND INSTALLATION OF PLANT GROWTH CHAMBER (WALK-IN-TYPE)   |   |                      |   |                  |
| <b>Corrigendum Type :</b>  | Technical Bid  |   |                      |   |                  |
| <b>Corrigendum Document Details</b>  |  |   |                      |   |                  |
| Corr.No.   | Corrigendum Title  | Corrigendum Description   | Published Date       | Document Name   | Doc Size (in KB) |
| 1  | Technical specification is being amended   | Technical specification is being amended on the recommendation of TPC | 10-Dec-2021 10:07 AM | <a href="#">GTE128afterprebidconference.pdf</a>  | 1942.60          |